

FIG. 1 A



FIG. 1 B




Fig 2A




Fig 2B




Fig 3 A






Fig. 3B





Days after tumor challenge

FIG. 4A

FIG. 4B

FIG. 4C

Fig. 5A




Fig 5B




Fig 5c




Fig. 5D





Fig. 6







FIG. 7

006260-0432960

Fig. 8



1. The first group of people who are interested in the study of the history of the United States are the people who are interested in the history of the United States.

FIG. 9A





FIG. 9 B



2022042300




FIG. 11A





FIG. 11B






FIG. 12

FIG. 13

$$\begin{aligned} (10+t) < 0 \\ (10-t) < 0 \\ t < 0 \end{aligned}$$

FIG. 14




FIG. 15

IFN- γ -positive spots




FIG. 17




FIG. 18




FIG. 19




FIG. 22







FIG. 23

THE HISTORY OF THE UNITED STATES


FIG. 25A



Days	CT26 (x10 ⁶)	CT26-vector (x10 ⁶)	CT26-hsp110 (x10 ⁶)
1	2.0	2.0	2.0
2	4.0	4.0	4.0
3	8.5	9.0	10.0
4	14.5	15.0	18.5
5	25.0	26.0	30.0

FIG. 26

000260 04E92960



.. FIG. 27

Figure 1 is a line graph showing tumor volume (mm³) on the y-axis (ranging from 0 to 1200) versus days after tumor implantation on the x-axis (ranging from 0 to 27). Four groups of mice are compared: control (●), anti-IL-12 (■), anti-IL-18 (▼), and anti-IL-12 + anti-IL-18 (▲). All groups show an increase in tumor volume over time, with the control group showing the highest volume and the anti-IL-12 + anti-IL-18 group showing the lowest volume. Error bars represent standard deviation.

Days after tumor implantation	Control (●)	Anti-IL-12 (■)	Anti-IL-18 (▼)	Anti-IL-12 + Anti-IL-18 (▲)
0	0	0	0	0
3	0	0	0	0
6	0	0	0	0
9	70	40	20	0
12	180	150	80	10
15	400	340	170	20
18	680	600	320	70
21	950	850	530	160
24	-	-	810	350

40




FIG. 29




FIG. 30

OD at 450 nm

Serum dilution

Serum dilution	Sample 1 (▲)	Sample 2 (■)	Sample 3 (●)
1:50	2.50	1.55	0.00
1:250	2.05	0.95	0.00
1:1250	1.05	0.65	0.00

FIG. 31

0000042360




FIG. 32

000001012360




FIG. 33

2000042500




FIG. 34




FIG. 35

000001072960




FIG. 36

Scatter plot showing Lung Metastasis (Y-axis, 0 to 180) for three groups (X-axis): PBS, Liver Grp170, and Tumor Grp170. The data points are represented by filled circles for PBS, open circles for Liver Grp170, and filled squares for Tumor Grp170.

Group	Lung Metastasis (Mean ± SEM)
PBS	126.0 ± 15.0
Liver Grp170	125.0 ± 35.0
Tumor Grp170	53.0 ± 18.0

FIG. 37